


 **ANCHOR**

by **Panasonic**

WIRES

Load Lega **Leader**



LP 75- 08.02.2026 - Trade

Advance FR | EFFR | FR-LSH | COPA PRO | Twin Cable | MCC | 3CF Submersible | Telephone | LAN | Co-axial | Speaker Cable | CCTV

ISO 9001:2015
CERTIFIED COMPANY

 International Copper
Association India
Copper Alliance



IS : 694
CIR L. NO. 710963
CIR L. NO. 710967



- 100% Electrolytic Copper
- 101% Conductivity
- 100% Bunched
- 60% Extra Annealing
- 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 90 M COIL

Nominal Area of Conductor	Advance-FR		
Sq. mm	Code	LP (₹)	PKG
0.75	27380	2107	12
1.00	27390	2795	12
1.50	27404	4106	12
2.50	27415	6590	10
4.00	27426	9610	8
6.00	27437	14530	6
10.00	27448	24995	1
16.00	27459	39790	1
25.00	27460	63105	1
35.00	93256	86445	1
50.00	27475	123470	1

Nominal Area of Conductor	FR-LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	27506	3106	12
1.50	27517	4535	12
2.50	27528	7196	12
4.00	27539	10470	10
6.00	27540	16425	8
10.00	27550	26840	6
16.00	27572	43135	1
25.00	27357	72120	1
35.00	93259	102180	1



- 100% Electrolytic Copper
- 101% Conductivity
- 100% Bunched
- 60% Extra Annealing
- 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 90 M COIL

Nominal Area of Conductor	COPA PRO-FR			
Sq. mm	Code	LP (₹)	PKG	
0.75	96137	2045	12	
1.00	96138	2649	12	
1.50	96139	3907	12	
2.50	96140	6315	10	
4.00	96141	9375	8	
6.00	96142	14130	6	

Nominal Area of Conductor	Advance-EFFR			
Sq. mm	Code	LP (₹)	PKG	
0.75	96102	2045	12	
1.00	96103	2649	12	
1.50	96104	3907	12	
2.50	96105	6315	10	
4.00	96106	9375	8	
6.00	96107	14130	6	



- 100% Electrolytic Copper
- 101% Conductivity
- 100% Bunched
- 60% Extra Annealing
- 30% Oxygen Index


HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 180 M COIL

Nominal Area of Conductor	Advance-FR		
Sq. mm	Code	LP (₹)	PKG
0.75	T-27380	4214	6
1.00	T-27390	5590	6
1.50	T-27404	8212	6
2.50	T-27415	13180	4
4.00	T-27426	19220	4
6.00	T-27437	29060	3

Nominal Area of Conductor	COPA PRO-FR		
Sq. mm	Code	LP (₹)	PKG
0.75	T-96137	4090	6
1.00	T-96138	5298	6
1.50	T-96139	7814	6
2.50	T-96140	12630	4
4.00	T-96141	18750	4
6.00	T-96142	28260	3

Nominal Area of Conductor	Advance-EFFR		
Sq. mm	Code	LP (₹)	PKG
0.75	T-96102	4090	6
1.00	T-96103	5298	6
1.50	T-96104	7814	6
2.50	T-96105	12630	4
4.00	T-96106	18750	4
6.00	T-96107	28260	3



- 100% Electrolytic Copper
- 101% Conductivity
- 100% Bunched
- 60% Extra Annealing
- 30% Oxygen Index

HSN CODE : 8544

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 180 M COIL

Nominal Area of Conductor	FR-LSH		
Sq. mm	Code	LP (₹)	PKG
1.00	T-27506	6212	6
1.50	T-27517	9070	6
2.50	T-27528	14392	4
4.00	T-27539	20940	4
6.00	T-27540	32850	3

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE COPPER CONDUCTOR - RATES PER 45 M COIL

NEMO Advance-FR			
Sq. mm	Code	LP (₹)	PKG
0.75	27441	1054	12
1.00	27442	1398	12
1.50	27443	2053	12
2.50	27444	3295	10
4.00	27445	4805	6
6.00	27446	7265	6

NEMO Advance-EFFR			
Sq. mm	Code	LP (₹)	PKG
0.75	27661	1023	12
1.00	27662	1325	12
1.50	27663	1954	12
2.50	27664	3158	10
4.00	27665	4688	6
6.00	27666	7065	6



HSN CODE : 8544

Twin Core Twisted Wire - 90 M

Sq. mm	Code	LP (₹)	PKG
0.50	27471RB	2887	8
0.75	27472RB	4095	8

1100V PVC INSULATED SINGLE CORE UNSHEATHED CABLE

Single Core Flexible Cable - 100 M

Sq. mm	Code	LP (₹)	PKG
0.50	28758	1494	12



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE (FR)

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93655BK - 1	4258	1	93658BK - 3	12774	1
0.75	93370BK - 1	5617	1	93388BK - 3	16851	1
1.00	93373BK - 1	6868	1	93391BK - 3	20604	1
1.50	93376BK - 1	8883	1	93394BK - 3	26649	1
2.50	93379BK - 1	14315	1	93397BK - 3	42945	1
4.00	93382BK - 1	21760	1	93400BK - 3	65280	1
6.00	93385BK - 1	32040	1	93403BK - 3	96120	1

Nominal Area of Conductor	3 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93637BK - 1	5580	1	93643BK - 3	16740	1
0.75	93346BK - 1	7345	1	93352BK - 3	22035	1
1.00	93349BK - 1	9152	1	93355BK - 3	27456	1
1.50	93145BK - 1	12230	1	93145BK - 3	36690	1
2.50	93148BK - 1	19485	1	93148BK - 3	58455	1
4.00	93151BK - 1	30815	1	93151BK - 3	92445	1
6.00	93154BK - 1	45845	1	93154BK - 3	137535	1

Nominal Area of Conductor	4 CORE - FR					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93667BK - 1	6930	1	93670BK - 3	20790	1
0.75	93472BK - 1	9585	1	93490BK - 3	28755	1
1.00	93475BK - 1	11720	1	93493BK - 3	35160	1
1.50	93478BK - 1	16085	1	93496BK - 3	48255	1
2.50	93481BK - 1	25495	1	93499BK - 3	76485	1
4.00	93484BK - 1	39640	1	93502BK - 3	118920	1
6.00	93487BK - 1	57860	1	93505BK - 3	173580	1
10.00	96156BK-1	99980	1	96156BK-3	307165	1
16.00	96157BK-1	165980	1	96157BK-3	497940	1



ANCHOR INDUSTRIAL MULTI CORE FLEXIBLE CABLE FR-LSH

HSN CODE : 8544

PVC ROUND SHEATHED INDUSTRIAL MULTI CORE FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Nominal Area of Conductor	2 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93649BK - 1	5275	1	93652BK - 3	15825	1
0.75	93406BK - 1	6955	1	93424BK - 3	20865	1
1.00	93409BK - 1	8115	1	93427BK - 3	24345	1
1.50	93412BK - 1	10305	1	93430BK - 3	30915	1
2.50	93415BK - 1	16085	1	93433BK - 3	48255	1
4.00	93418BK - 1	24180	1	93436BK - 3	72540	1
6.00	93421BK - 1	39305	1	93439BK - 3	117915	1

Nominal Area of Conductor	3 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93640BK - 1	7545	1	93646BK - 3	22635	1
0.75	93673BK - 1	8650	1	93679BK - 3	25950	1
1.00	93676BK - 1	10560	1	93682BK - 3	31680	1
1.50	93193BK - 1	13985	1	93193BK - 3	41955	1
2.50	93196BK - 1	22615	1	93196BK - 3	67845	1
4.00	93199BK - 1	35235	1	93199BK - 3	105705	1
6.00	93202BK - 1	54025	1	93202BK - 3	162075	1

Nominal Area of Conductor	4 CORE - FR-LSH					
	100 M Coil			300 M Coil		
Sq. mm	Code	LP (₹)	PKG	Code	LP (₹)	PKG
0.50	93661BK - 1	8170	1	93664BK - 3	24510	1
0.75	93508BK - 1	10840	1	93526BK - 3	32520	1
1.00	93511BK - 1	13445	1	93529BK - 3	40335	1
1.50	93514BK - 1	18375	1	93532BK - 3	55125	1
2.50	93517BK - 1	29055	1	93535BK - 3	87165	1
4.00	93520BK - 1	45230	1	93538BK - 3	135690	1
6.00	93523BK - 1	69690	1	93541BK - 3	209070	1



HSN CODE : 8544

3 CORE FLAT SUBMERSIBLE PVC INSULATED & SHEATHED CABLE

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP (₹)	PKG
1.50	3CF15	132.65	1
2.50	3CF25	208.15	1

Nominal Area of Conductor	Material will be supplied in continuous length of 500 meters in drum packing (+ / - 5% i.e. 475 to 525 meter).		
Sq.mm	Code	LP (₹)	PKG
1.50	3CF15500	132.65	1
2.50	3CF25500	208.15	1
4.00	3CF40	320.00	1
6.00	3CF60	477.70	1
10.00	3CF100	809.00	1
16.00	3CF160	1259.30	1

Nominal Area of Conductor	Material will be supplied in continuous length of 1000 meters in drum packing (+ / - 5% i.e. 950 to 1050 meter).		
Sq.mm	Code	LP (₹)	PKG
1.50	3CF151000	132.65	1
2.50	3CF251000	208.15	1
4.00	3CF401000	320.00	1

Nominal Area of Conductor	Material will be supplied in length of 100 meters		
Sq.mm	Code	LP (₹)	PKG
1.50	3CF15100	131.95	1
2.50	3CF25100	204.90	1
4.00	3CF40100	306.80	1



HSN CODE : 8544

TELEPHONE SWITCH BOARD CABLES - RATES PER 90 M COIL

Telephone Cable 0.40 mm				Telephone Cable 0.50 mm		
No. of Pair	Code	LP (₹)	PKG	Code	LP (₹)	PKG
1.00	28189	1028	6	28881	1343	6
2.00	28190	1679	10	28892	2300	6
3.00	28203	2488	6	28906	3368	6
4.00	28462	3073	6	28917	4452	6
5.00	28473	3821	4	28928	5530	4
6.00	28677	4594	4	28939	6502	4
8.00	28484	6217	2	28940	8710	2
10.00	28466	7708	2	28950	10587	2

CAT 6 LAN CABLE

ITEM	305 M			100 M		
	Code	LP (₹)	PKG	Code	LP (₹)	PKG
23 AWG UTP CAT 6 CABLE	28124GY	16945	1	28125GY	5556	4

RG-6 CO-AXIAL CABLE

ITEM	305 M			100 M		
	Code	LP (₹)	PKG	Code	LP (₹)	PKG
CO-AXIAL	RG6CU305	10580	1	RG6CU100	3387	6
	RG6CCS305	6895		RG6CCS100	2217	

CCTV CABLE

Code	CCTV CABLE 90 M	LP (₹)	PKG
CT31CU90	ANCHOR 3+1	5394	4
CT41CU90	ANCHOR 4+1	6055	
FLCT31CU90	ANCHOR 3+1	3171	
FLCT41CU90	ANCHOR 4+1	3600	

SPEAKER CABLE - TRANSPARENT PVC INSULATED WITH RED STRIP

Code	SPEAKER CABLE 90 M	LP (₹)	PKG
SC0P5090	SPEAKER CABLE 0.50 SQ.MM (TRANSPARENT)	2447	12
SC0P7590	SPEAKER CABLE 0.75 SQ.MM (TRANSPARENT)	3556	12
SC1P0090	SPEAKER CABLE 1.00 SQ.MM (TRANSPARENT)	4390	8
SC1P5090	SPEAKER CABLE 1.50 SQ.MM (TRANSPARENT)	6558	6
SC2P0090	SPEAKER CABLE 2.00 SQ.MM (TRANSPARENT)	10215	5
SC2P5090	SPEAKER CABLE 2.50 SQ.MM (TRANSPARENT)	10933	5



TERMS AND CONDITIONS

- 1) The List Prices are exclusive of GST.
- 2) Prices are subject to change without prior notice.
- 3) This price list supersedes all our previous price lists.
- 4) If any dispute should arise it will be subject to Thane jurisdiction.
- 5) Company reserves the right to issue amendments which may arise due to any errors in the price list.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein. Current details should therefore be checked with the Company.

Disclaimer :Information given herein is in good faith. Product images shown are for representation purpose only. ANCHOR shall not be liable for any damages arising out of incorrect use.

Panasonic Life Solutions India Pvt. Ltd.,

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus, Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel 022 4222 8888 | Fax 022 4222 8884, Customer Care no.: 022-41304130 | WhatsApp: 9136028606 |
Email: wecare@in.panasonic.com | www.isin.panasonic.com

Registered Office : 12th Floor, Ambience Tower, Ambience Island, NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp